

**Amendments to the Claims**

This listing of claims will replace all prior versions, and listings of claims in the application:

**Listing of Claims:**

Please amend the claims to read as follows:

In The Claims:

Claims 1-14 - (Cancelled)

15. (Currently amended) A thermoplastic molding composition comprising
- 60-65 parts by weight of a poly(ester) carbonate,
  - 13 – 20 parts by weight of a rubber modified graft polymer having a graft base and
  - 5-20 parts by weight of a member selected from the group consisting of polyethylene naphthalate and polyethylene naphthalate co-terephthalate said rubber modified graft polymer including rubber B.2 grafted with at least one random (co)polymer of B.1.1 and/or B.1.2, wherein B.2 is at least one rubber selected from the group consisting of diene, EP(D)M, polyurethane, silicone, chloroprene and ethylene/vinyl acetate and wherein B.1.1 is at least one member selected from the group consisting of styrene,  $\alpha$ -methylstyrene, halo-ring substituted styrene and alkyl-ring-substituted styrene and (meth)acrylic acid C<sub>1</sub>-C<sub>8</sub> alkyl ester and wherein B.1.2 is at least one member selected from the group consisting of unsaturated nitrile and (meth)acrylic acid C<sub>1</sub>-C<sub>8</sub> alkyl ester wherein the average particle diameter (d<sub>50</sub>) of the grafted rubber determined by counting on electron micrographs is 0.5 to 5  $\mu$ m.

16. (Cancelled)

17. (Currently amended) The composition of Claim ~~[[ 16 ]]~~ 15 wherein the average particle diameter is 0.5 to 2.5  $\mu$ m.

Mo-7019N

-2-


18. (currently amended) The composition of Claim ~~[[16]]~~ 15 wherein the average particle diameter is ~~[[ 0.1 to 0.5]]~~ 0.8 to 2.5  $\mu\text{m}$ .

19. (Previously presented) The composition if Claim 15 further containing at least one member selected from the group consisting of vinyl copolymer and polyalkylene terephthalate.

20. (Previously presented) The composition of Claim 15 wherein the graft base is at least one rubber selected from the group consisting of diene, EP(D)M, acrylate, polyurethane, silicone, chloroprene and ethylene/vinyl acetate.

21. (Previously presented) The composition of Claim 15 further containing at least one member selected from the group consisting of flame retardant, stabilizer, pigment, mold release agent, flow auxiliary and antistatic agent.

22. (Previously presented) The composition of Claim 21 wherein the flame retardant is a phosphates conforming to formula (IV)



in which

$\text{R}^5$ ,  $\text{R}^6$ ,  $\text{R}^7$  and  $\text{R}^8$  independently of one another denote a member selected from the group consisting of  $\text{C}_1$ - $\text{C}_8$  alkyl,  $\text{C}_5$ - $\text{C}_6$  cycloalkyl,  $\text{C}_6$ - $\text{C}_{30}$  aryl and  $\text{C}_7$ - $\text{C}_{12}$  aralkyl,

X denotes a mono- or polycyclic aromatic radical having 6 to 30 C atoms,

k independently of one another is 0 or 1 and

N is 0 to 30.

23. (Previously presented) The composition of Claim 22 wherein the C<sub>1</sub>-C<sub>8</sub> alkyl is halogenated.

24. (Previously presented) The composition of Claim 22 wherein at least one member selected from the group consisting of C<sub>5</sub>-C<sub>6</sub> cycloalkyl, C<sub>6</sub>-C<sub>30</sub> aryl or C<sub>7</sub>-C<sub>12</sub> aralkyl is substituted by at least one member selected from a second group consisting of halogen and alkyl.

25. (Previously presented) A method of using the composition of Claim 15 comprising forming a molded article.

26. (Previously presented) A molded article comprising the composition of Claim 15.